

## PC

The PC is the most complete and practical of WM System's loading ramps. Suitable for most loading and weight requirements, it is extremely practical thanks to the special HORIZONTAL SWIVEL OPENING. The PC Swivel is equipped with self-positioning feet and the larger versions are available with an additional "wheel kit" to make the lifting and lowering of the ramp even easier. The platform is made from shot-blasted anti-slip aluminium to give excellent grip during loading.



OPENING



CLOSED POSITION



INTERNAL SWIVEL




EXTERNAL SWIVEL


### DIMENSIONS & LOAD CAPACITY



600 Kg  
1000 Kg  
1500 Kg  
1800 Kg



### USES



## SPECIAL SOLUTIONS



**RAMP FOR DOCK LOADING**  
450 Kg




**RAMP WITH SPECIAL FEET**



**RAMP WITH SIDE SUPPORT  
AND DOUBLE HUB**

## REMOVABLE EXTENSION KIT



Extension suitable for all ramps to gain an improved loading angle.



**MAXIMUM LOAD CAPACITY**  
up to 1500 Kg



**LENGTH**  
125 cm

## ADDITIONAL THIRD PIECE KIT



Factory fitted onto the ramp. Ideal for loading into low-roofed vehicles.



**MAXIMUM LOAD CAPACITY**  
600 Kg



**LENGTH**  
80 cm



**MAXIMUM WIDTH**  
100 cm

## WHEEL KIT



The wheel kit is made to assist the opening of larger ramps. For models PC 120x300-ME120x300 and above.

## PC and ME TECHNICAL DATA \*




POWER REQUIRED: approx 15 Kg

SPACE REQUIRED: approx 10 cm

WARRANTY: 2 years



[www.wmsystem.com](http://www.wmsystem.com)



**MAXIMUM LOAD CAPACITY**  
from 600 to 1800 Kg

PC Mod.	ME Mod.	H (mm)	L1 (mm)	L (mm)	A (mm)	P (mm)	P1 (mm)	Load (Kg)	Weight* (Kg)
PC 90	ME 90	1175	928	1163	2100	95	250	600	77
PC 100	ME 100	1125	1028	1263	2000	95	250	600	66
PC 100	ME 100	1615	1028	1263	3000	95	250	600	101
PC100	ME100	1740	1028	1263	3250	95	250	1800	132
PC 120	ME 120	1515	1228	1463	2800	95	250	600	124
PC 120	ME 120	1615	1228	1463	3000	95	250	1500	148
PC 120	ME 120	1740	1228	1463	3250	95	250	1000	137
PC 125	ME 125	1465	1278	1513	2700	95	250	1000	126
PC 125	ME 125	1615	1278	1513	3000	95	250	1000	131
PC 125	ME 125	1615	1278	1513	3000	95	250	1500	149
PC 125	ME 125	1740	1278	1513	3250	95	250	1500	151
PC 130	ME 130	1615	1328	1563	3000	95	250	1000	136
PC 130	ME 130	1740	1328	1563	3250	95	250	1500	157
PC 135	ME 135	1615	1378	1613	3000	95	250	1000	142
PC 135	ME 135	1740	1378	1613	3250	95	250	1500	161
PC 137,5	ME 137,5	1740	1403	1638	3250	95	250	1800	184

\* The technical data in the table also applies to PC-R and ME-R models

\* The weight indicated does not include the fitting kit. The weight of the fitting kit depends on the van.